

CONOLIFT

MARINE HYDRAULIC
EQUIPMENT



INNOVATION
QUALITY
COMMITMENT

KROPF CONOLIFT
AQUACULTURE
MARINE
INDUSTRIAL INC

TABLE OF CONTENTS

1	The Kropf Story
2	The Conolift Advantage
4	Yard Trailers
8	Self-propelled Trailers
10	All-Wheel Steer Trailers
12	Highway Trailers
14	Optional Equipment
18	Sling Lifts
20	Marine Mobile Lifts
24	Haulie Trailer Tugs
25	Boat Stands



THE KROPF STORY

“Conolift marine equipment continues to set the standard for boat handling and storage operations.”

When asked to build a hydraulic boat trailer in the early 1980s, Kropf Industrial founder Peter Kropf looked at the designs on the market and realized there was a better way to build trailers. The first Conolift hydraulic trailer was born out of that realization, offering an open frame design that expanded in width and lifted vertically. That first trailer was sold to a large dealership after its first trip to the Toronto Boat Show.

After the first trailer sold almost immediately, the Conolift line of equipment became a primary focus of Kropf Industrial. Over the next several

decades, Conolift trailers have earned a reputation for offering unmatched flexibility, ease of operation, and durability. New trailer models were introduced regularly, and the division grew to the point where it could offer a diversified line of boat handling equipment that catered to almost any set of requirements for both power and sail boats up to 100 tons. Now, with well over 1,200 units sold, and a range of products that includes marine mobile lifts, sling lifts, trailer tugs, and storage stands, Conolift marine equipment continues to set the standard for boat handling and storage operations.

Along with its industry-leading line of Conolift equipment, Kropf Industrial also offers steel tube floating docks, floating breakwaters, industrial equipment for material handling, and custom fabrication and design. As a diverse marine infrastructure and equipment supplier, Kropf can offer you a wealth of knowledge and experience to solve your unique challenges, with the comfort of knowing Kropf will continue to make your success our priority.


“Any one of our trailers can be configured to allow you to move powerboats, sail boats, and boats in cradles with the same trailer.”

THE CONOLIFT ADVANTAGE

When you buy a Conolift hydraulic trailer, you are not just buying decades of experience supplying over 1,200 hard-working and reliable trailers. You are also buying a truly unique trailer design that offers you unmatched flexibility and ease of use, allowing you to maximize efficiency

and safety in your operation. All of our hydraulic trailers feature the benefits that have built Conolift's reputation as the industry's leading hydraulic trailer brand, including an open frame that expands in width, substantial hydraulic frame lift, and a hydraulic tongue for leveling and ride height adjustment.

All trailers include a three year warranty on the frame, two years on hydraulic components, and ninety days on running gear.



Efficient, durable, and easy to use trailers that will provide exceptional value for decades.




YARD TRAILERS

Designed and built for years of hard service in your yard, these rugged and durable trailers allow you to achieve labor efficiencies through simplified operations while maximizing the use of your yard space. The expanding frame width ensures you can carry

boats safely and yet still always store them within inches of each other. Yard trailers feature robust and durable components, including solid mining tires, Honda engines, and pilot operated lock valves on all lift functions.

MODEL	LOAD CAPACITY	BOAT LENGTH	YARD TRAILER DIMENSIONS						ENGINE HP	SHIPPING WEIGHT
			A	B	C	D	E	F		
Y-3	6,000 lbs	16' - 24'	90"	54"	18" - 52"	4' 11"	13' 1"	24' 6"	5.5	2,800 lbs
Y-4	8,000 lbs	16' - 30'	102"	64"	20" - 40"	5'	16' 3"	26' 10"	5.5	3,400 lbs
Y-7	14,000 lbs	18' - 34'	102" - 128"	68" - 98"	22" - 52"	5' 4"	17'	28' 10"	5.5	4,000 lbs
Y-10	20,000 lbs	18' - 37'	102" - 132"	68" - 98"	22" - 56"	6' 4"	20' 2"	32' 9"	5.5	5,000 lbs
Y-15	30,000 lbs	20' - 42'	107" - 137"	68" - 98"	24" - 56"	7' 5"	22'	35' 6"	5.5	7,500 lbs
Y-20	40,000 lbs	20' - 46'	107" - 137"	68" - 98"	24" - 56"	8' 6"	24'	38' 6"	5.5	8,000 lbs
Y-25	50,000 lbs	20' - 48'	111" - 141"	68" - 98"	24" - 56"	8' 6"	27'	42'	5.5	8,800 lbs
Y-30	60,000 lbs	28' - 50'	130" - 160"	84" - 114"	24" - 62"	10' 6"	27'	45'	9	11,000 lbs
Y-40	80,000 lbs	30' - 60'	130" - 160"	84" - 114"	24" - 62"	11' 6"	29' 6"	48' 6"	11	13,000 lbs
Y-50	100,000 lbs	30' - 64'	130" - 160"	84" - 114"	28" - 57"	11'	31' 6"	50' 6"	11	16,000 lbs
Y-60	120,000 lbs	30' - 70'	156" - 186"	96" - 126"	30" - 66"	16'	36'	60'	11	22,000 lbs
Y-80	160,000 lbs	30' - 80'	159" - 189"	97" - 127"	29" - 64"	14' 6"	42'	67'	18	30,000 lbs
Y-100	200,000 lbs	30' - 90'	166" - 196"	97" - 127"	29" - 64"	16' 5"	59' 6"	94' 5"	18	40,000 lbs



OPTIONAL EQUIPMENT

- Hydraulic front dolly wheels
- Winch system
- Hydraulic fifth wheel gooseneck
- Radio remote control
- 4 or 6 arm hydraulic sailboat package



Y-40 with gooseneck



SP-20 with sail arms

A shorter overall length and 180 degree front steering allows you to maximize your yard space.

SELF-PROPELLED TRAILERS

Space is money when it comes to boat storage. That is why Conolift self-propelled trailers offer all the standard Conolift features, along with the convenience and efficiency of a self-contained drive and steer system, utilizing reliable Tier 3 or 4 engines with digital displays and joystick. 180 degree front wheel steering provides maximum maneuverability, while a sit-down operator's station with pivoting seat ensures operator comfort and maximum visibility while moving in any direction.




MODEL	LOAD CAPACITY	BOAT LENGTH	TRAVEL SPEED	GRADE CAPABILITY	SELF-PROPELLED TRAILER DIMENSIONS					
					A	B	C	D	E	F
SP-4	8,000 lbs	16' - 30'	0 - 9 MPH	10%	102"	64"	20" - 40"	5'	16' 4"	29' 6"
SP-6	12,000 lbs	18' - 34'	0 - 9 MPH	10%	102" - 132"	68" - 96"	22" - 54"	6' 4"	15' 4"	36' 6"
SP-10	20,000 lbs	18' - 37'	0 - 9 MPH	10%	102" - 132"	68" - 96"	22" - 54"	6' 4"	19' 2"	36' 6"
SP-15	30,000 lbs	20' - 42'	0 - 9 MPH	10%	107" - 137"	68" - 96"	24" - 56"	7' 10"	21' 4"	39' 6"
SP-20	40,000 lbs	20' - 46'	0 - 9 MPH	8%	107" - 137"	68" - 96"	24" - 56"	8' 6"	24'	43'
SP-25	50,000 lbs	20' - 48'	0 - 9 MPH	8%	111" - 141"	70" - 98"	24" - 56"	8' 6"	27'	46'
SP-30	60,000 lbs	28' - 50'	0 - 6 MPH	8%	121" - 151"	84" - 114"	24" - 62"	10' 6"	27' 4"	50'
SP-40	80,000 lbs	30' - 60'	0 - 6 MPH	8%	121" - 151"	84" - 114"	24" - 62"	11' 6"	29' 6"	55'
SP-60	120,000 lbs	30' - 70'	0 - 6 MPH	6%	156" - 186"	96" - 126"	30" - 66"	16'	32' 6"	61'
SP-80	160,000 lbs	30' - 80'	0 - 6 MPH	6%	159" - 189"	97" - 127"	30" - 64"	14' 7"	43' 4"	72' 8"
SP-100	200,000 lbs	30' - 90'	0 - 4 MPH	6%	166" - 196"	97" - 127"	30" - 64"	16' 5"	59' 6"	87' 5"



OPTIONAL EQUIPMENT

- Radio remote control
- Rear wheel drive for steep grades
- Hydraulically raised operator's station
- 4 or 6 arm hydraulic sailboat package



MULTI-STEER SELF-PROPELLED TRAILERS

180 degree steering wheels at 2 or 4 corners provide unmatched maneuverability.

To fully maximize your available storage space, Conolift offers a dual open-end version of our self-propelled trailers, featuring a low front cross-beam with an offset engine compartment. These units feature either two-wheel or four-wheel steering, with the drive and steering wheels located at the corners of the trailer. This design provides maximum maneuverability, while allowing longer

vessels to fit onto a shorter trailer frame. Multiple steering modes are available for the four-wheel steering design, including crab and carousel. Conolift's proven open-frame design with frame lift and expanding width ensures that the trailer can be adjusted to a wide range of boats, while radio remote control maximizes operator visibility and safety.



The most versatile trailer on the market allows you to meet the unique transportation demands of your clients.

HIGHWAY TRAILERS

Conolift’s highway trailers allow you to safely and efficiently load, transport, and unload a boat without the use of additional equipment. The Conolift advantages allow easy retrieval, and ensure that each boat is carried as per the manufacturer’s


recommendations. Nitrogen ride suspension, steel tie down rings, a spare tire and carrier, and pilot operated lock valves are standard on all trailers, while electric/hydraulic brakes and aluminum rims are standard on the YH-9 and above.



CAPACITY				HIGHWAY TRAILER DIMENSIONS						
MODEL	ON ROAD	OFF ROAD	BOAT LENGTH	A	B	C	D	E	F	SHIPPING WEIGHT
YH-3	6,000 lbs	8,000 lbs	16' - 26'	89"	55"	18"	4' 6"	13' 6"	22' 9"	3,200 lbs
YH-4	8,000 lbs	10,000 lbs	16' - 28'	98"	64"	20" - 40"	5'	16' 3"	26'	4,100 lbs
YH-7	14,000 lbs	16,000 lbs	18' - 33'	102" - 108"	68" - 98"	22" - 52"	5' 4"	17'	28' 10"	6,000 lbs
YH-9	18,000 lbs	24,000 lbs	18' - 37'	102" - 132"	61" - 98"	24" - 56"	6'	20' 6"	32' 10"	8,000 lbs
YH-12	24,000 lbs	30,000 lbs	18' - 42'	102" - 132"	61" - 98"	24" - 58"	7'	22' 4"	36'	8,500 lbs
YH-15	30,000 lbs	50,000 lbs	20' - 50'	102" - 155"	41" - 94"	26" - 64"	6' 6"	31' 3"	48'	14,500 lbs
YH-18	36,000 lbs	36,000 lbs	28' - 50'	102" - 155"	52" - 107"	25" - 62"	7' 6"	36'	45' 1"	12,500 lbs
YH-20	40,000 lbs	40,000 lbs	30' - 53'	115" - 168"	41" - 94"	30" - 58"	10' 2"	31'	53'	20,000 lbs
YH-30	60,000 lbs	60,000 lbs	25' - 56'	120" - 166"	55" - 101"	26" - 64"	11' 6"	29' 1"	56'	25,000 lbs
YH-60	120,000 lbs	120,000 lbs	30' - 75'	144" - 191"	63" - 110"	33" - 60"	16' 4"	44' 5"	78'	34,300 lbs

OPTIONAL EQUIPMENT

- Radio remote control
- Hydraulic fifth wheel gooseneck
- Air ride suspension
- Air/hydraulic brakes
- Stainless steel disc brakes
- Hydraulic front dolly wheels & winch
- Racking for multiple boats
- 4 or 6 arm hydraulic sailboat package



OPTIONAL EQUIPMENT

We understand that each customer's needs are unique, which is why we offer a wide range of optional equipment to ensure you are getting the trailer that will enhance your operations and bottom line. These options can be added to any Yard, Self-Propelled, or Highway trailer.

- **Wireless radio remote control with manual backup**
- **Hydraulic sail arm package**
- **Hydraulic goose neck**
- **Expanding length frame**
- **Rear pad equalizing system**
- **Rolling cantilever pad system**
- **Cradle L-arms to easily move cradles**
- **Hot dipped galvanized frame, hubs, and components**
- **Stainless steel hydraulic fittings**
- **Adjustable bunks for moving catamarans**
- **Rolling keel bunk**



Wireless radio remote control with manual backup



4 or 6 arm hydraulic sailboat package



Hydraulic goose neck



Expanding length frame



Rolling keel bunk



Sliding cantilever pad system



Cradle L - arms to easily move cradles



Adjustable catamaran bunks



Y-50 with catamaran bunks



SP-100 with rear wheel drive



The unique flexibility of a Conolift trailer frame with the added simplicity of slings.

SLING LIFTS

A Conolift sling lift trailer offers users the ability to easily launch, retrieve, and store both powerboats and sailboats on a launch ramp. The sling system simplifies lifting boats, and unlike a conventional trailer, a sling lift can place boats either into cradles or on stands. For facilities

with a launch ramp, a sling lift offers the ease of use of a straddle carrier, while avoiding the need for a costly lift well. Sling lifts offer lift in both the posts and the wheels, and are adjustable in width to minimize the wasted storage space inherent in a fixed-width lift.




STANDARD FEATURES

- Full radio remote control
- Honda-powered hydraulic system
- Hydraulically adjusted forward posts for sling positioning
- Safety lock valves on all lifts
- Stainless steel hardware

OPTIONAL EQUIPMENT

- Extendable tongue
- Front dolly wheel
- Galvanized and stainless steel package
- Self-propelled tractor unit

BOAT LENGTH				SLING LIFT TRAILER DIMENSIONS					
MODEL	LOAD CAPACITY	POWER (UPTO)	SAIL (UPTO)	A	B	C	D	E	F
SL-5	10,000 lbs	32'	33'	140" - 194"	108" - 162"	77" - 131"	27'	19' 8"	30' 2"
SL-10	20,000 lbs	37'	38'	140" - 194"	108" - 162"	77" - 131"	27'	19' 8"	30' 2"
SL-15	30,000 lbs	42'	44'	145" - 199"	115" - 169"	84" - 138"	31'	21' 3"	34'
SL-20	40,000 lbs	46'	48'	150" - 204"	120" - 143"	89" - 143"	35'	25' 3"	38'
SL-40	80,000 lbs	60'	60'	194" - 264"	132" - 206"	107" - 167"	49' 9"	34' 7"	50' 1"



MARINE MOBILE LIFTS

A lift you can rely on.



Quality engineering, rugged durability, and outstanding value are the trademarks of Conolift's Marine Mobile Lifts.

Conolift has been manufacturing mobile straddle carriers since the 1980s. These machines feature a high strength, low alloy tube frame design that is open at one end with an equalizing joint at the other. Ackerman steering with powered slew bearings provides a tight turning radius and excellent durability, and the four lift point

functions can be controlled simultaneously or independently. Hydraulic sling positioners are standard on all machines. Radio remote control is also standard, providing maximum operator visibility and safety during operations. Load gauges provide the operator an accurate weight of the vessel being carried,

ensuring safe limits are always maintained. Reliable Tier 4 diesel power is standard, coupled to high quality hydraulic pumps, cylinders, winches, and planetary drives. All machines come standard with a 2 year frame and hydraulic system warranty, or 2,000 hours, whichever comes first.



STANDARD FEATURES

Radio remote control with spare

Digital load gauges on remote

Digital dash with engine information and diagnostics

Extended top beam for sailboats

Hydraulic sling positioners

All-new solid rubber mining tires

Manual backup controls in engine compartment



MODEL	LOAD CAPACITY	ENGINE HP	TRAVEL SPEED	GRADE CAPABILITY	WIDTH OVERALL	WHEEL BASE	CLEAR WIDTH	HEIGHT OVERALL	CLEAR HEIGHT
MML -20	40,000 lbs	85	0-180'/MIN	5%	19' 6"	17'	16'	20'	18'
MML -40	80,000 lbs	85	0-180'/MIN	5%	21' 9"	17'	16' 6"	20'	18'
MML -60	120,000 lbs	85	0-180'/MIN	5%	25'	21'	20'	23' 3"	20'
MML -80	160,000 lbs	85	0-180'/MIN	5%	27'	22' 8"	21'	25' 3"	22' 6"
MML -100	200,000 lbs	100	0-180'/MIN	5%	33'	30'	26'	32'	28' 6"

All models available in diesel-hydraulic or all-electric design
 All models available with variable-width frame



OPTIONAL EQUIPMENT

Four-wheel steering

Night work package

Cold weather package

All-electric power system

Variable-width frame



HAULLE TRAILER TUGS

The use of a trailer tug offers numerous benefits, including improved use of space and reduced in-yard damage.

Conolift’s Haulle trailer tug is a highly maneuverable and rugged unit that can convert any yard or highway trailer into a self-propelled workhorse. Independently controlled hydraulic wheel drives enable precise control in tight quarters, even at creep speed.

CAPACITIES

- Towing Capacity: 40,000 lbs
- Fifth wheel tongue load: 15,000 lbs
- Ball/pintle hitch capacity: 8,000 lbs



FEATURES

- 24 HP Honda engine
- Radio remote control with manual backup
- Hydraulic locking fifth wheel
- Hydraulic lift on fifth wheel and pintle hitch
- Onboard 12V air compressor and air tank
- Air brake glad hand and hose
- Hydraulic stabilizer wheels
- Movement alarm, flashing beacons, and e-stops on each fender

BOAT STANDS

Rugged and reliable galvanized boat storage stands that are stackable for easy storage.

Conolift’s hot dip galvanized boat stands for both power and sailboats provide security and versatility to meet your storage needs. These rugged stands feature a welded steel angle-iron base, combined with a solid threaded screw top. A treated plywood pad with steel backer is secure to the top via a removable bolt with nylon washer. This allows the pad to maintain a preset position for secured easier setup.

Conolift stands are designed to be stackable and easily handled, while offering exceptional longevity and strength. A variety of sizes is available, including a range of powerboat and sailboat stands, keel stands, and catamaran bunks.



CONOLIFT AQUACULTURE MARINE

Innovation and quality have been the defining characteristics of our products since we were founded in 1977. With a well-equipped facility and experienced workforce, Kropf Industrial is capable of handling a wide variety of custom design and fabrication projects in addition to the products offered by our three primary divisions.



► KROPF CONOLIFT

Manufactures a full line of versatile marine hydraulic equipment that will improve your operations and increase your bottom line. Available in 3-100 Tonnes.

► KROPF AQUACULTURE

Manufactures steel pontoon fish cages and walkways. These rugged steel cages provide a safe and secure structure with a working platform for fish farming operations.

► KROPF MARINE

Has been providing quality steel tube floating dock systems to discerning clients for over 25 years. Our commitment to superior workmanship and conscientious customer service has allowed Kropf Industrial Inc. to become an industry leader in the floating dock market.